



[DOWNLOAD SPECS](#)

imagePROGRAF iPF6400SE

Printer Type

6-Colour 24-inch Printer

Number of Nozzles

Total: 15, 360 C, M, Y, BK, MBK, R: 2,560 nozzles each

Nozzle Pitch	1,200 dpi x 2 Non-firing nozzle detection and compensation
<hr/>	
Print Resolution (up to)	2,400 x 1,200 dpi (Max)
<hr/>	
OS Compatibility	Windows® (XP/Vista/7/8), Macintosh® (OSX)
<hr/>	
Standard Interfaces	USB 2.0 High-Speed 10/100 Base-T/TX
<hr/>	
Ink Droplet Size	4 picoliter
<hr/>	
Ink Capacity	130 and 300ml per colour available ²
<hr/>	
Ink Type	LUCIA EX Ink (Pigment based)
<hr/>	
Colour Set	Cyan, Magenta, Yellow, Black, Matte Black, Red
<hr/>	
Buffer Ram	256 MB
<hr/>	
Media Width	Cut Sheet and Roll: 8" - 24"
<hr/>	
Media Thickness	Top Loading Manual Feed: 0.07 - 0.8mm (3.2 - 31.4mil) Roll: 0.07 - 0.8mm (3.2 - 31.4mil)
<hr/>	

Maximum Roll Print Length	59 Feet (18 meters) ³
Maximum Media Roll Diameter	5.9" (150mm)
Borderless Printing Width	10" (254 mm), B4 (257 mm), 14" (356 mm), 16" (407 mm), A2 (420 mm), A2+/17" (432 mm), B2 (515 mm), A1 (594 mm), 24" (610 mm)
Paper Feed Method	Roll Feed: One Roll, front output TTop Loading Manual Feed: One sheet, front output
Languages	GARO (Canon Proprietary)
Noise Level Approx	Operation: 49 dB (A) or less Standby: 35 dB (A) or less Acoustic Power: Approx. 6.4 Bels or less
Physical Dimensions	39.0" (H) x 40.0" (W) x 29.6" (D)
Weight	Approximately 119 lbs. with stand
Power Source	AC-100-240V (50-60Hz)
Power Consumption	Maximum: 100W or less Standby: 5W or less Power Off: .5W or less (Compliant with Executive Order)

Operating Environment

Temperature: 59°-86° F (15°-30° C) Relative Humidity: 10-80% (No Condensation)

User Replaceable Items

Print Head (PF-05), Maintenance Cartridge (MC-16), Ink Tanks (PFI-106/PFI-206)

Software Included

Canon Printer Driver, PosterArtist Lite (PC Only), Printer Driver Extra Kit (Free Layout, Colour imageRUNNER Enlargement Copy, Advanced Preview), Print Plug-in for Microsoft® Word/Excel/PowerPoint, Accounting Manager (PC Only), Direct Print & Share, Optimized Module for AutoCAD (PC Only)
